



modified FOLFOX-6 - Oxaliplatin 85 / Folinic Acid 400 / Fluorouracil 2400, colon carcinoma adjuvant

Protocol-ID: 644 V1.1 (Basic), mFOLFOX-6 (OXAL85/CFOL400/FU2400), Colon Ca, adj.

Indication(s)

- Colon Cancer; ICD-10 C18.0, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C19

Cycles

Cycle length 14 days, recommended cycles: 12

References

- Allegra CJ, Initial safety report of NSABP C-08: A randomized phase III study of modified FOLFOX6 with or without bevacizumab for the adjuvant treatment of patients with stage II or III colon cancer. J Clin Oncol 2009 Jul 10;27(20):3385-90. doi: 10.1200/JCO.2009.21.9220. PMID: 19414665. [[PMID](#)]
- Allegra CJ, Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. J Clin Oncol 2011 Jan 01;29(1):11-6. doi: 10.1200/JCO.2010.30.0855. PMID: 20940184. [[PMID](#)]

Recommendations

- 07/2020: [European Society for Medical Oncology](#)
- 11/2023: [National Comprehensive Cancer Network](#)

Important notice

The copyrighted protocols are treatment recommendations. The information contained in this compilation on cytostatic drugs, concomitant medication and other therapeutic procedures, as well as dosage and application information, is continuously reviewed with all due care by the authors and editors involved. Nevertheless, the publishers and authors do not assume any liability for the correctness - also with regard to possible printing errors.

The protocols may not be changed in terms of content. Any further use of the protocols in physical or non-physical form, such as copying, distribution, disclosure, export to other media, or publication, even in excerpt form, is not permitted.

Diagnosis, indication for therapy and treatment of malignant diseases must be carried out in each individual case by the hematologist and oncologist on his or her own responsibility. The treating physician is obligated to this personal responsibility to weigh in each case before a diagnostic or therapeutic measure, indication, contraindications, dosage and application under consideration of the specialized information or other documents of the manufacturers. This applies in particular to rarely used preparations or preparations that are new to the market.



The publishers and authors assume no liability for the accuracy of the contents. The application is at the own responsibility of the treating physician. ©Onkopti.

Valid since: 04.01.2024